LIST OF CONTENTS

NUMBER 1

E. SIMOEN, C. CLAEYS, S. COENEN and M. DECRETON: D.c. and low frequency noise characteristics of γ-irradiated gate-all-around silicon-on-insulator MOS transistors..... 1

M. GAULT, H. MATSUURA, K. FURUYA, P. MAWBY and M. S. TOWERS: The inclusion of a finite capture time in the numerical simulation of quantum effect devices 9

S. S. TAN, M. YE and A. G. MILNES: Diffusion limited chemical etching effects in semiconductors 17

S. S. LU, C. L. HUANG and T. P. SUN: High-breakdown-voltage $Ga_{0.51}In_{0.49}P$/GaAs I-HEMT and I^2HEMT with a GaInP passivation layer grown by gas source molecular beam epitaxy 25

HEUNG-SOO RHEE, SEONGHEARN LEE and BONG-RYUL KIM: D.c. and a.c. current crowding effects model analysis in bipolar junction transistors using a new extraction method... 31

D. POGANY, S. ABABOU, G. GUILLOT, X. HUGON, B. VILOTITCH and C. LENOBLE: Study of RTS noise and excess currents in lattice-mismatched InP/InGaAs/InP photodetector arrays 37

RAVI GUPTA and M. EL NOKALI: A model for dual-channel high electron mobility transistors 51

V. W. L. CHIN: Electron mobility in GaSb 59

SAMAR SAHAR: MOSFET test structures for two-dimensional device simulation 69

V. SARGŪNAS, D. A. THOMPSON and J. G. SIMMONS: High resistivity in n-type InP by He^+ bombardment at 300 and 60 K 75

H. VAN CONG and G. DEBIAIS: An accurate empirical generalized Einstein relation and its applications to the $n(p)$-type silicon at high temperatures 83

H. G. FU and T. S. HUANG: A comparison study of Pd/In/Pd, Pd–In/Pd, and Pd–In ohmic contacts to n-GaAs 89

SHI-HO KIM, HO-JUN LEE, CHUL-HI HAN, KWYRO LEE, SANG-SOO CHOI, YOUNG-JIN JEON, ENZO DI FABRIZIO and MASSIMO GENTILI: The effects of X-ray irradiation-induced damage on reliability in MOS structures 95

M. H. JUANG, C. T. LIN and H. C. CHENG: Silicide-caused anomalous reverse current–voltage characteristics of $CoSi_2$ shallow p^+n junctions 101

K. MICHAEL HAN and TOSHIKAZU NISHIDA: Sequential substrate and channel hot electron injection to separate oxide and interface traps in n-MOSTs 105

TZUEN-HSI HUANG and MING-JER CHEN: Empirical modeling for gate-controlled collector current of lateral bipolar transistors in an n-MOSFET structure 115

T. Smedes and F. M. Klaassen: An analytical model for the non-quasi-static small-signal behaviour of submicron MOSFETs 121

S. Mohajerzadeh, C. R. Selvakumar, J. P. Noel and D. C. Houghton: Early-voltage degradation in heterostructure bipolar transistors due to interface states 131

Kum-Chang Chao and Ming-Jer Chen: Fowler–Nordheim limited band-to-band tunneling (FNBB) for p-MOSFET gate current in a floating bulk condition 135

P. Nubile: Bandgap narrowing effects on the open circuit voltage in Si, GaAs and InP solar cells 139

J. J. Liou and C. S. Ho: A physical model for the base transit time of advanced bipolar transistors 143

V. Ryzhii and M. Ershov: Infrared multiple-quantum-well phototransistor 149

S. Decoutere, J. Poortmans, L. Deferm and J. Nijs: Investigation of the high frequency noise figure reduction of SiGe heterojunction bipolar transistors using actualised physical models 157

Yung-Song Lou and Ching-Yuan Wu: The effects of impurity bands on the electrical characteristics of metal–semiconductor ohmic contacts 163

P. Francis, A. Terao, D. Flandre and F. Van de Wiele: Moderate inversion model of ultrathin double-gate nMOS/SOI transistors 171

M. A. Alam, Shin-ichi Tanaka and M. S. Lundstrom: A small-signal, one-flux analysis of short-base transport 177

Y. Pan and K. K. Ng: Characterization of the gate oxide thickness and the channel length dependencies of hot-carrier degradation in LDD p-MOSFETs 183

B. Mazhari and H. Morkoç: Intrinsic gate delay of Si/SiGe integrated injection logic circuits 189

Maneesha, Subhasis Haldar, Manoj K. Khanna and R. S. Gupta: Analytical theory of two-dimensional charge sheet model for short channel MOSFETs under non linear charge control 197

J. A. López-Villanueva, I. Melchor, F. Gámiz, J. Banqueri and J. A. Jiménez-Tejada: A model for the quantized accumulation layer in metal–insulator–semiconductor structures 203

M. El-Hady, M. H. ElSaid, I. M. Hafez and H. Haddara: New full-voltage-swing multi-drain/multi-collector complementary BiCMOS buffers (M^2 CBiCMOS) 211

C. M. Van Vliet, J. J. Nainaparampil and Alan H. Marshak: Ehrenfest derivation of the mean forces acting in materials with nonuniform band structure: a canonical approach 217

T. T. Mnatsakanov, B. N. Gresserov and L. I. Pomortseva: Investigation of the effect of electron–hole scattering on charge carrier transport in semiconductors and semiconductor devices under low injection conditions 225

Yu. G. Gurevich, V. M. Koshkin and I. N. Volovichev: The heterocontact of two intrinsic semiconductors and radiation-stable electronics 235

Notes

ZAIN KACHWALLA: Non-destructive technique for estimating gate lengths of MESFETs and HEMTs using low field d.c.-*IV* data 243

J. APPELBAUM, A. CHAIT and D. A. THOMPSON: A method for screening solar cells 246

HIKARU HIDA: Effect of current–voltage characteristics in the non-saturation regime on propagation delay for sub-1V E/D-DCFL inverters 249

JOAN PONS and RAMON ALCUBILLA: Superposition solutions for emitter quantum efficiency 252

B. K. MISHRA and P. CHAKRABARTI: An optically controlled InP MIS capacitor 255

T. PURITIS, D. VOLKS and J. KAUPUŽS: Pinch effect in silicon P–N junction at secondary breakdown coming into existence 258

VANEETA AGGARWAL and R. S. GUPTA: A 2D analytic field-dependent-mobility model for the I–V characteristics of thin film fully-depleted SOI MOSFETs 261

A. ORTIZ-CONDE, F. J. GARCÍA SÁNCHEZ, J. J. LIOU, J. ANDRIAN, R. J. LAURENCE and P. E. SCHMIDT: A generalized model for a two-terminal device and its applications to parameter extraction 265

Letter to the Editor

SIMA DIMITRIJEV, DRAGAN ZUPAC and NINOSLAV STOJADINOVIC: Comments on "Substrate-bias-dependent threshold-voltage model of short-channel MOSFET" 267

NUMBER 2

R. KAMOUA: Heterojunction cathode injectors for D-band InP Gunn devices 269

J. D. HWANG, Y. K. FANG and T. Y. TSAI: A vertical submicron SiC thin film transistor 275

J. P. BAILBÉ, L. ANDRIEUX, A. CAZARRÉ, T. CAMPS, A. MARTY, J. TASSELLI and H. GRANIER: Theory and experiment of the temperature dependence of GaAlAs/GaAs HBTs characteristics for power amplifier applications 279

S. P. WILSON and S. BRAND: Spatio-temporal impact ionisation transients: a Lucky drift model study in GaAs 287

YUN-SHAN CHANG and SHENG S. LI: A new contactless S-polarized reflectance technique for determining the Si film and buried oxide thickness in silicon-on-insulator materials 297

JYH-FENG LIN, MENG-CHYI WU, MING-JIUNN JOU, CHUAN-MING CHANG and BIING-JYE LEE: AlGaInP orange light-emitting diodes grown on misoriented p-GaAs substrates 305

ANTONIO G. M. STROLLO: Trade-off between blocking gain and on-resistance in static induction transistor 309

YISONG DAI, JIESUNG SHI, XINFA ZHANG, JIAWEL SHI and ENSUN JIN: The correlation of low frequency optical noise spectrum and electrical noise spectrum in a laser diode, with experimental results 317

G. F. NIU, G. RUAN and T. A. TANG: Inversion charge modeling of SiGe PMOS and approaches to increasing the hole density in the SiGe channel 323

S. MANZINI: Active doping instability in n^+–p silicon surface avalanche diodes 331

C. D. WILSON and A. G. O'NEILL: High temperature operation of GaAs based FETs .. 339

SEONG-DONG KIM, IL-JUNG KIM, MIN-KOO HAN and YEARN-IK CHOI: An accurate on-resistance model for low voltage VDMOS devices..... 345

M. J. LAZARUS: Improvement in the switch time of bipolar transistors with profiled base current drive..... 351

M. KIRILOV, V. NAKOV, M. TROTT and CH. SCHNITTLER: Modelling of single barrier heterostructures including band bending and non-parabolicity effects of the band structure 357

CONSTANTIN BULUCEA: Resistivity curves for subsurface diffused layers in silicon..... 367

CHIA-SONG WU, YI-JEN CHAN, CHU-DONG CHEN, TIEN-MIN CHUANG, FENG-YUH JUANG, CHUNG-CHI CHANG and JEN-INN CHYI: Double-heterojunction pseudomorphic $AlGaAs/In_{0.15}Ga_{0.85}As$ HEMT and its short-channel effects 377

MYEON-KOO KANG, KENICHI AKASHI, TAKAYUKI MATSUI and HIROSHI KUWANO: Recrystallization characteristics of polycrystalline silicon films amorphized by germanium ion implantation 383

N. SIABI-SHAHRIVAR, W. REDMAN-WHITE, P. ASHBURN and H. A. KEMHADJIAN: Reduction of $1/f$ noise in polysilicon emitter bipolar transistors 389

ALI AFZALI-KUSHAA and GEORGE I. HADDAD: High frequency characteristics of MESFETs..... 401

WILLIAM LIU and AYCA YUKSEL: A survey of thermal-electric feedback coefficients in GaAs-based heterojunction bipolar transistors 407

P. GOTTWALD, R. RIEMENSCHNEIDER, B. SZENTPALI, H. L. HARNAGEL, ZS. KINCSES and M. RUSZINKO: Comparison of photo- and plasma-assisted passivating process effects on GaAs devices by means of low-frequency noise measurements 413

I. M. HAFEZ, G. GHIBAUDO, F. BALESTRA and M. HAOND: Impact of LDD structures on the operation of silicon MOSFETs at low temperature 419

M. PORGES, J. ŠAFRANKOVÁ, T. LALINSKÝ, I. KOSTIČ, I. W. RANGELOW, F. J. TEGUDE and D. JÄGER: Asymmetric (Schottky–ohmic) MSM photodetector..... 425

M. M. JAHAN and A. F. M. ANWAR: Shot noise in double barrier quantum structures 429

C. L. WU, W. C. HSU, H. M. SHIEH and M. J. KAO: Depletion-MIS-like InGaAs/GaAs delta-doped structures with high breakdown voltage and large gate voltage swing..... 433

D. REZNIK and W. GERLACH: The effect of nonlinear coupling of reciprocal mobilities on the charge carrier distribution in semiconductor power devices 437

B. G. MARTIN: The effect of fixed space charge on space-charge-limited current injection in impurity-band-conduction semiconductors 443

J. B. KUO and T. C. LU: 2D device-level simulation study on d.c. and transient behavior of a SiGe-base HBT with a graded germanium profile in an ECL buffer operating at 77K 451

YI-JEN CHAN, TZU-JIN YEH and JENN-MING KUO: High temperature performance of $Ga_{0.51}In_{0.49}P/In_{0.2}Ga_{0.8}As$ pseudomorphic HEMTs with WSi_x gates 457

CHIMOON HUANG and TAHUI WANG: Transient simulation of EPROM writing characteristics, with a novel hot electron injection model 461

T. WEI and S. STAPLETON: Capacitance of resonant tunneling diodes with spacer layers 465

A. BOUDJANI, G. BASSOU, T. BENBAKHTI, M. BEGHDAD and B. BELMEKKI: Direct measurement of minority carrier diffusion length in planar devices 471

R. M. PATRIKAR, R. LAL and J. VASI: Interface state generation due to high-field stressing in MOS oxides 477

R. G. DAVIS and M. B. ALLENSON: Unified HBT base push-out and base–collector capacitance model 481

LECH DOBRZANSKI: The linear statistical d.c. model of GaAs MESFET using factor analysis 487

A. ISMAIL, M. BOUMEDIENNE and L. LASSABATERE: Schottky diode properties of Au, In–GaP (111) and (110) chemically etched surfaces 497

GIOVANNI VITO PERSIANO, ANTONIO G. M. STROLLO and PAOLO SPIRITO: Analysis of turn-on transient in power bipolar-mode FET (BMFET) 503

MANI VAIDYANATHAN and DAVID J. ROULSTON: Effective base–collector time constants for calculating the maximum oscillation frequency of bipolar transistors 509

K. NUMMILA, A. A. KETTERSON and I. ADESIDA: Delay time analysis for short gate-length GaAs MESFETs 517

A. Y. POLYAKOV, A. G. MILNES, A. V. GOVORKOV, L. V. DRUZHININA, I. V. TUNITSKAYA and N. B. SMIRNOV: Band offsets in heterojunctions of InGaAsSb/AlGaAsSb 525

Note

M. DJAFARI ROUHANI, A. SYLLA, K. KOUADJA and D. ESTÈVE: Theoretical analysis of the two-junction monolithic cascade $Hg_{1-x}Cd_xTe$/GaAs solar cell 531

NUMBER 3

Invited Paper

TING L. CHU and SHIRLEY S. CHU: Thin film II–VI photovoltaics 533

VAHID AHMADI, SUSUMU NODA, KIMITAKA SHIBATA and AKIO SASAKI: Optical multi-stable set–reset functions of optoelectronic integrated device composed of six heterojunction phototransistors over two laser diodes 551

WEN-SHIUNG LOUR: Fabrication of voltage-controlled strained-layer quantum well three-terminal switching device 557

RANBIR SINGH and B. J. BALIGA: Cryogenic operation of asymmetric *n*-channel IGBTs 561

JUNKO TANAKA, TORU TOYABE, HITOSHI MATSUO, SIGEO IHARA, HIROO MASUDA and FUMIO OTSUKA: Reverse short-channel effect of threshold voltage in LOCOS parasitic MOSFETs 567

H. TIAN, K. W. KIM, J. R. HAUSER, N. A. MASNARI and M. A. LITTLEJOHN: Effects of profile doped elevated source/drain structures on deep-submicron MOSFETs 573

WOONG L. CHOI, DAE M. KIM and I. H. CHOI: A simple method for determining capacitive coupling coefficients in floating-gate devices 581

P. AUSTIN, J. CAMINADE and J. L. SANCHEZ: Technology and characterization of polysilicon emitter bipolar transistors for power applications 587

YEVGENY V. MAMONTOV and MAGNUS WILLANDER: Simulation of bandgap narrowing and incomplete ionization in strained $Si_{1-x}Ge_x$ alloys on $\langle 001 \rangle$ Si substrate (for temperatures from 40 K up to 400 K) 599

S. KASCHIEVA: Influence of a postoxidation cooling on the interface state density of MOS structures 609

F. GÁMIZ, J. BANQUERI, J. E. CARCELLER and J. A. LÓPEZ-VILLANUEVA: Effects of bulk-impurity and interface-charge on the electron mobility in MOSFETs 611

J. JOMAAH, G. GHIBAUDO and F. BALESTRA: Analysis and modeling of self-heating effects in thin-film SOI MOSFETs as a function of temperature 615

H. M. GUPTA: Theory of non-steady-state electrical characteristics of metal–insulator–metal structures with Schottky barriers and uniformly distributed interface impurity states 619

C. S. HO, J. J. LIOU, D. L. CHEN, L. L. LIOU and C. I. HUANG: Combined effects of graded and setback layers on the AlGaAs/GaAs HBT current–voltage characteristics 627

CHANG-WOO KIM, NORIO GOTO and KAZUHIKO HONJO: Two-dimensional analysis of surface recombination at the extrinsic base surface under various conditions in AlGaAs/GaAs heterojunction bipolar transistors 633

D. ROSENFELD and S. A. ALTEROVITZ: The composition dependence of the cut-off frequencies of ungraded $Si_{1-x}Ge_x/Si_{1-y}Ge_y/Si_{1-x}Ge_x$ HBTs 641

J. FOGARTY, W. KONG and R. SOLANKI: Monte Carlo simulation of high field electron transport in ZnS 653

O. L. YAKYMAKHA and Y. M. KALNIBOLOTSKIJ: Very-low-frequency (VLF) investigations of the MOSFET's high-order derivatives 661

A. Z. WANG and W. A. ANDERSON: Influence of a single InGaAs quantum well on current transport and deep levels in GaAs 673

CHANG WOO LEE and YONG TAE KIM: High temperature thermal stability of plasma-deposited tungsten nitride Schottky contacts to GaAs 679

SUMIO TANAKA: Theory of the drain leakage current in silicon MOSFETs 683

S. Z. ZAINABIDINOV, P. I. BARANSKIY, I. N. KARIMOV, A. R. TURAEV and KH. KH. KARIMBERDIEV: Effect of high hydrostatic pressure on the electrophysical properties of doped silicon crystals and devices based on them 693

N. G. TARR, D. J. WALKEY, M. B. ROWLANDSON, S. B. HEWITT and T. W. MACELWEE: Short-channel effects on MOSFET subthreshold swing 697

M. NANDAKUMAR and B. J. BALIGA: Modelling the turn-off characteristics of the base resistance controlled thyristor (BRT) 703

YUNG-SONG LOU and CHING-YUAN WU: Lateral titanium silicide growth and its suppression using the a-Si/Ti bilayer structure 715

E. DOMÍNGUEZ* and J. P. ADRADOS: Electronic states in p–n junctions in thermal equilibrium 721

B. GELMONT, M. S. SHUR and R. J. MATTAUCH: Disk and stripe capacitances 731

Notes

YIJUN CAI and REINHART ENGELMANN: Design of novel blue/green diode laser based on MgZnSeTe alloy 735

C. R. ABERNATHY and P. W. WISK: A comparison of alane precursors for growth of AlAs and AlGaAs by metalorganic molecular beam epitaxy 737

P. CHATTOPADHYAY: A new technique for the determination of barrier height of Schottky barrier diodes 739

J. S. YUAN and J. H. NING: Effect of impact ionization on C_{JC} of heterojunction bipolar transistors 742

Erratum I

NUMBER 4

Review Paper

GEOFFREY K. REEVES, PATRICK W. LEECH and H. BARRY HARRISON: Understanding the sheet resistance parameter of alloyed ohmic contacts using a transmission line model 745

EMILIO BORCHI and MARA BRUZZI: Analysis of non-exponential thermally stimulated currents for heavily doped silicon diodes 753

J. J. LIOU, C. I. HUANG and J. BARRETTE: A model to monitor the current gain long-term instability in AlGaAs/GaAs HBTs based on noise and leakage current characteristics 761

Y. H. WU, J. S. SU, W. C. HSU, W. C. LIU and W. LIN: Characteristics of $In_{0.53}Ga_{0.47}As/InP$ double and single heterostructure-emitter bipolar transistors grown by LP-MOCVD ... 767

A. Y. POLYAKOV, N. B. SMIRNOV, A. A. CHELNIY, A. A. BALMASHNOV, A. G. MILNES and S. J. PEARTON: The influence of hydrogen plasma treatment on reverse currents in InGaP and InGaAlP 771

ERIC KOENIG, ULRICH SEILER, JÜRGEN SCHNEIDER, UWE ERBEN and HERMANN SCHUMACHER: Impact of thermal distribution and emitter length on the performance of microwave heterojunction bipolar transistors 775

PATRICK W. LEECH and GEOFFREY K. REEVES: The modified sheet resistance of indium contacts to n-type $Hg_{1-x}Cd_xTe$ 781

TADAHIKO HORIUCHI, J. DAVID BURNETT and CHENMING HU: Bipolar transistor degradation under dynamic hot carrier stress 787

R. J. SCHREUTELKAMP and L. DEFERM: A new method for measuring the saturation velocity of submicron CMOS transistors 791

E. KUPHAL, K. MAUSE, K. MIETHE, A. EISENBACH, F. FIEDLER and A. CORBET: Electron diffusion length in InGaAs:Zn derived from heterostructure bipolar transistors 795

MANOJ MEHROTRA and B. JAYANT BALIGA: Trench MOS barrier Schottky (TMBS) rectifier: a Schottky rectifier with higher than parallel plane breakdown voltage 801

S. N. MOHAMMAD, G. FIORENZA, A. ACOVIC, J. B. JOHNSON and R. L. CARTER: Fowler–Nordheim tunneling of carriers in MOS transistors: two-dimensional simulation of gate current employing FIELDAY 807

TZONG-SHENG CHANG, WEN-CHUN WANG, FON-SHAN HUANG, LIH-PING WANG and JENN-CHANG HWANG: Rapid thermal nitridation of titanium on Cu/Si contact system 815

J. ZENG, P. A. MAWBY, M. S. TOWERS and K. BOARD: Numerical analysis of a trench VDMOST structure with no quasi-saturation 821

Q. HUANG and G. A. J. AMARATUNGA: Analysis of double trench insulated gate bipolar transistor 829

YOU-LIN WU, ZHAO-YIN WU and JENN-GWO HWU: Improvement in reliability of *n*-MOSFETs by using rapid thermal N_2O-reoxidized nitrided gate oxides 839

A. PECORA, M. SCHILLIZZI, G. TALLARIDA, G. FORTUNATO, C. REITA and P. MIGLIORATO: Off-current in polycrystalline silicon thin film transistors: an analysis of the thermally generated component 845

KUEI-SHAN WEN, HSIN-HSIEN LI and CHING-YUAN WU: A new gate current simulation technique considering Si/SiO_2 interface trap generation 851

S. HARIHARAN and ALOKE K. DUTTA: An improved quasi two-dimensional model for short-channel MOSFETs 861

M. M. DE SOUZA and G. A. J. AMARATUNGA: An analysis of the kickout mechanism in silicon 867

M. F. ZYBURA, S. H. JONES, G. TAIT and J. M. DUVA: Efficient computer aided design of GaAs and InP millimeter wave transferred electron devices including detailed thermal analysis 873

TOSHISHIGE YAMADA and D. K. FERRY: Monte Carlo simulation of hole transport in strained $Si_{1-x}Ge_x$ 881

PREDRAG HABAŠ: Charge-pumping characteristics of virgin and stressed lightly-doped drain MOSFETs 891

KÜRŞAD KIZILOĞLU, MAJID M. HASHEMI, STEVEN P. DENBAARS and UMESH K. MISHRA: On the interface resistance of regrown GaInAs on InP 905

A. P. BELYAEV, V. P. RUBETS and I. P. KALINKIN: Injection-contact phenomena in sub-micron layers of disordered zinc selenide 909

KHALED SHERIF, ADEL REFKY, TAREK SHAWKI, OSMAN EL-SAYED and GEORGES SALMER: Two-dimensional hydrodynamic simulation of submicrometer dual gate MODFETs ... 917

Notes

N. E. BOCK: Silicon cryogenic MOST ... 931

L. HARMATHA, V. NÁGL, Ł. STUCHLÍKOVÁ, M. GAŽI and J. HALAJ: DLTS study of deep traps in Si varactor structures ... 933

MAHESH B. PATIL, Y. OHKURA, T. TOYABE and S. IHARA: On coupling the drift-diffusion and Monte Carlo models for MOSFET simulation ... 935

S. MUKHOPADHYAY and A. N. DAW: On the series resistance of a Schottky diode with cross strip anode ... 937

H. H. CHOI and T. A. DEMASSA: A 3D thermal model for electrostatic discharge thermal runaway in semiconductor devices ... 939

HYUNGKEUN AHN and M. EL NOKALI: A charge based capacitance model for high electron mobility transistors ... 943

J. J. LIOU: An analytical model for the current transport of graded heterojunction bipolar transistors ... 946

NUMBER 5

S. SCHEINERT, G. PAASCH and D. SCHIPANSKI: Analytical model and temperature dependence of the thin film SOI FET ... 949

WEN-SHIUNG LOUR: Two step doping channel FET with symmetric normally on and normally off characteristics ... 961

WEN-SHIUNG LOUR: On the double negative-differential resistance of a superlattice-emitter resonant-tunneling bipolar transistor ... 965

P. FLATRESSE and T. OUISSE: Noise analysis of silicon carbide JFETs ... 971

QIN HUANG and G. A. J. AMARATUNGA: MOS controlled diodes—a new power diode 977

QIN HUANG and GEHAN AMARATUNGA: Forward blocking capability of double gate IGBTs at high temperatures ... 981

A. S. VERCAEMST, R. L. VAN MEIRHAEGHE, W. H. LAFLERE and F. CARDON: Hydrogen passivation caused by "soft" sputter etch cleaning of Si ... 983

A. COLA, L. VASANELLI and P. MURET: A method for the determination of barrier heights from the capacitance–voltage characteristics of a Schottky junction containing bulk deep traps ... 989

TATSUSHI AKAZAKI, TAKATOMO ENOKI, KUNIHIRO ARAI and YASUNOBU ISHII: Improving the characteristics of an InAlAs/InGaAs inverted HEMT by inserting an InAs layer into the InGaAs channel ... 997

M. SCHMEITS and M. SAKHAF: Capacitance of abrupt heterojunctions with inversion layers 1001

MICHÈLE HIRSCH, UWE RAU and JÜRGEN H. WERNER: Analysis of internal quantum efficiency and a new graphical evaluation scheme 1009

SUMIO TANAKA: An indirect interband tunneling formulation for an arbitrary electric field direction in semiconductors 1017

M. SARITAS and A. R. PEAKER: Deep states associated with oxidation induced stacking faults in RTA *p*-type silicon before and after copper diffusion 1025

P. VIKTOROVITCH, P. LOUIS, M. P. BESLAND and A. CHOVET: Electrical characterization of metal-oxide-InP tunnel diodes based on current-voltage, admittance and low frequency noise measurements 1035

MINGZHEN XU, CHANGHUA TAN, YANDONG HE and YANGYUAN WANG: Analysis of the rate of change of inversion charge in thin insulator *p*-type metal-oxide-semiconductor structures 1045

K. DMOWSKI: Side data analysis of deep level transient spectroscopy spectra for a multipoint correlation method with binomial weighting coefficients 1051

J. J. SZE and H. C. CHENG: A new analytical expression for the interface index of metal-Schottky contacts on semiconductors 1059

HAE-SEOK CHO and JERRY G. FOSSUM: A physical and computationally efficient methodology for statistical circuit simulation in bipolar technologies 1065

R. K. CHANANA, H. N. UPADHYAY, R. DWIVEDI and S. K. SRIVASTAVA: Electrical properties of 6.3 nm RF oxygen plasma oxide grown near room temperature with *in situ* dry cleaning of Si surface 1075

FRANÇOIS DANNEVILLE, GILLES DAMBRINE, HENRI HAPPY, PATRICK TADYSZAK and ALAIN CAPPY: Influence of the gate leakage current on the noise performance of MESFETs and MODFETs 1081

HANS PFLEIDERER: Stepwise continuous solution of the semiconductor equations 1089

B. P. PAL, SHUBHA, K. HONEY KUMAR and R. U. KHAN: Frequency dependent behaviour of an ion implanted GaAs OPFET considering the photovoltaic effect and the gate depletion width modulation 1097

Notes

SUBHASH CHAND and JITENDRA KUMAR: Current–voltage characteristics of Pd_2Si based Schottky diodes on *p*-type (111) silicon and evaluation of their barrier heights 1103

J.-I. CHYI, J.-H. GAU, J.-L. SHIEH, J.-W. PAN, Y.-J. CHAN, J.-W. HONG and M.-F. HUANG: Low threshold InAlGaAs/AlGaAs strained quantum well lasers grown by molecular beam epitaxy 1105

KYOUNG YANG, IL-JUNG KIM, MIN-KOO HAN and YEARN-IK CHOI: An analytic solution for breakdown voltage of cylindrical junctions including the interface charge 1107

ALFREDO OLMOS, RODRIGO REINA M. and EDGAR CHARRY R.: Conception of HEMTs threshold voltage based on the MOSFET model 1109

G. V. GADIYAK and J. L. KOROBITSINA: Numerical simulation of the thermal oxidation of silicon in N_2O ambient 1113

G. K. REEVES and H. B. HARRISON: A tri-layer transmission line model applied to alloyed ohmic contacts 1115

W. Y. Zhou, Y. B. Liou and C. Huang: Steady-state and transient heat responses in AlGaAs/GaAs HBT 1118

NUMBER 6

Invited Paper
Fred H. Pollak, H. Qiang, D. Yan, Wojciech Krystek and S. Moneger: Nondestructive, room temperature analysis/qualification of wafer-sized semiconductor device structures using contactless electromodulation spectroscopy 1121

A. Y. Polyakov, A. A. Chelniy, A. V. Govorkov, N. B. Smirnov, A. G. Milnes, S. J. Pearton, R. G. Wilson, A. A. Balmashnov, A. N. Aluev and A. V. Markov: Effects of proton implantation and hydrogen plasma passivation on electrical properties of InGaAlP and InGaP 1131

F. Ren, C. R. Abernathy, S. N. G. Chu, J. R. Lothian and S. J. Pearton: The role of hydrogen in current-induced degradation of carbon-doped GaAs/AlGaAs heterojunction bipolar transistors 1137

U. Erlesand and M. Östling: Carrier transport across the β-$FeSi_2$/Si heterojunction 1143

X. Yi and J. J. Liou: Surface oxidation of polycrystalline cadmium telluride thin films for Schottky barrier junction solar cells 1151

R. Narayanan, A. Ortiz-Conde, J. J. Liou, F. J. García Sánchez and A. Parthasarathy: Two-dimensional numerical analysis for extracting the effective channel length of short-channel MOSFETs 1155

N. A. Dumin, D. J. Dumin, G. A. Hames, J. J. Wortman and S. E. Beck: Effects of nitrogen incorporation during growth on thin oxide wearout and breakdown 1161

T. Ohzone, A. Michii and T. Hori: Parasitic current characterisics of a MOSFET with a Si-implanted gate-SiO_2 1165

M. J. Kao, W. C. Hsu, H. M. Shieh and T. Y. Lin: Improved mobilities and concentrations in double quantum well InGaAs/GaAs pseudomorphic HFETs using multi-coupled δ-doped GaAs 1171

P. K. McLarty, S. Cristoloveanu, O. Faynot, V. Misra, J. R. Hauser and J. J. Wortman: A simple parameter extraction method for ultra-thin oxide MOSFETs 1175

P. Danesh, A. Szekeres and S. Kaschieva: Oxidation of a-Si:H (Si/SiO_2 interface properties) 1179

B. Heinemann, F. Herzel and U. Zillmann: Influence of low doped emitter and collector regions on high-frequency performance of SiGe-base HBTs 1183

Jung-Suk Goo, Young-Gwan Kim, Hyeokjae L'Yee, Ho-Yup Kwon and Hyungsoon Shin: An analytical model for hot-carrier-induced degradation of deep-submicron n-channel LDD MOSFETs 1191

M. Ogawa, H. Matsubayashi, H. Ohta and T. Miyoshi: Accurate parameter extraction of heterojunctions based on inverse C–V simulation 1197

A. S. V. SARMA and S. AHMAD: RF current distribution across metal–semiconductor ohmic contacts in mm-wave IMPATTs 1209

B. TSAP: Silicon carbide microwave field-effect transistor: effect of field dependent mobility 1215

K. KASAHARA, K. KUNIHIRO, H. NISHIZAWA and Y. OHNO: Differences in epitaxial-layer/substrate interface properties of hetero-junction field effect transistors fabricated by molecular beam epitaxy and metal organic chemical vapor deposition 1221

QU GUOLI and ZHANG GUANGCHUN: On deep electron traps in semi-insulating GaAs crystals by thermally stimulated depolarization current 1227

M.-J. TSAI, F.-S. WANG, K.-L. CHENG, S.-Y. WANG, M.-S. FENG and H.-C. CHENG: Characterization of H_2/N_2 plasma passivation process for poly-Si thin film transistors (TFTs) 1233

S.-L. JANG, M.-C. HU and Y.-S. CHEN: Current–voltage model of short-channel MOSFETs operated in the linear region 1239

A. A. DRUGOVA and V. A. KHOLODNOV: Character of the dependences of non-equilibrium electron and hole lifetimes on the concentration of recombination centres in impurity-type-recombination semiconductors 1247

A. NUSSBAUM: Capacitance and spreading resistance of a stripe line 1253

A. NUSSBAUM: A comparison of finite element and finite difference methods for the calculation of capacitance and spreading resistance of stripe lines 1257

Notes

A. D. SADOVNIKOV, D. J. ROULSTON and D. CELI: Numerical and analytical calculation of collector buried layer resistance in a bipolar transistor 1261

XING ZHOU and HONG SIANG TAN: Monte Carlo formulation of field-dependent mobility for $Al_xGa_{1-x}As$ 1264

FERENC RIESZ: Effect of spatial distribution of illumination intensity on the measured gain of interdigitated photoconductors 1267

S. S. DE, A. K. GHOSH, D. SIL, P. K. SINHA and M. BERA: Effect of surface recombination on the transit-time in heavily doped n^+–p junction silicon solar cell 1270

M. TABIB-AZAR: Reduction of surface leakage current in edge exposed GaAs P–N junctions by sulfur passivation and its time dependence 1273

B. GHODSIAN, D. L. PULFREY, Z. ABID and S. P. MCALISTER: On the design of composite-collector HBTs 1275

M. FAYYAZ KHAN and M. REZWAN KHAN: A linearized model for the temperature sensitivity of P–N junction diodes 1279

B. Y. CHEN and J. B. KUO: An accurate knee current model considering quasi-saturation for BJTs operating at high current density 1282

NUMBER 7

Review Paper
J. M. ZAVADA and DAHUA ZHANG: Luminescence properties of erbium in III–V compound semiconductors 1285

WEN-JENG HO, TING-ARN DAI, ZUON-MING CHUANG, WEI LIN, YUAN-KUANG TU and MENG-CHYI WU: InGaAs *PIN* photodiodes on semi-insulating InP substrates with bandwidth exceeding 14 GHz 1295

H. G. FU and T. S. HUANG: Characteristics of PdIn ohmic contacts to *n*-GaAs with a thin Ge layer 1299

J. LIU, M. E. LAW and K. S. JONES: Evolution of dislocation loops in silicon in an inert ambient—I 1305

S. CHAUDHRY, J. LIU, K. S. JONES and M. E. LAW: Evolution of dislocation loops in silicon in an inert ambient—II 1313

HUNG-SHENG CHEN, CHIH-SIEH TENG, LARRY MOBERLY and RAJEEVA LAHRI: Ion beam shadowing effect in submicrometer large-angle-tilt implanted drain (LATID) MOSFETs 1321

R. S. SCOTT and D. J. DUMIN: The superposition of transient low-level leakage currents in stressed silicon oxides 1325

R. G. WILSON, C. B. VARTULI, C. R. ABERNATHY, S. J. PEARTON and J. M. ZAVADA: Implantation and redistributon of dopants and isolation species in GaN and related compounds 1329

K. OKAMOTO, T. UMEZAKI, T. OKADA and R. SHINOHARA: Submonolayer and supermonolayer of InAs quantum wells grown on GaAs by molecular beam epitaxy 1335

A. KAGER, J. J. LIOU and C. I. HUANG: A numerical study of the effect of base and collector structures on the performance of AlGaAs/GaAs multi-finger HBTs 1339

T. DANIELS-RACE and S. YU: Effect of spacer layer thickness on tunneling characteristics in asymmetric AlAs/GaAs/AlAs double barrier structures 1347

J. REED, M. TAO, D. G. PARK, A. BOTCHKAREV, Z. FAN, S. K. SUZUE, D. LI, G. B. GAO, S. N. MOHAMMAD, S. J. CHEY, J. E. VAN NOSTRAND, D. G. CAHILL and H. MORKOÇ: Characteristics of *in situ* deposited GaAs metal–insulator–semiconductor structures 1351

YUN-SHAN CHANG, SHENG S. LI and PING-CHANG YANG: Determination of interface recombination velocities and carrier lifetimes in SOI materials by a contactless optical modulation technique 1359

LUIS M. CASTAÑER, RAMON ALCUBILLA and ANNA BENAVENT: Bipolar transistor vertical scaling framework 1367

KUEI-SHAN WEN and CHING-YUAN WU: A simple and accurate simulation technique for flash EEPROM writing and its reliability issue 1373

G. N. DASH: A new design approach for MITATT and TUNNETT mode devices 1381

S.-L. JANG, S.-S. LIU and C.-J. TSAI: Dynamic high-current stressing damage and post-stress relaxation in *p–n–p* silicon bipolar junction transistors 1387

MASSOOD TABIB-AZAR: A relationship between interface trap density and transconductance in depletion-mode field effect transistors 1395

M. KARLSTEEN and M. WILLANDER: Improved switch time of I^2L at low power consumption by using a SiGe heterojunction bipolar transistor 1401

FABRIZIO BONANI and GIOVANNI GHIONE: On the application of the Kirchhoff transformation to the steady-state thermal analysis of semiconductor devices with temperature-dependent and piecewise inhomogeneous thermal conductivity 1409

N. SENGOUGA and B. K. JONES: Backgating effects in GaAs FETs with a channel-semi-insulating substrate boundary 1413

NUMBER 8

CHONG-LUNG WANG: Computation of current and transconductance of a nonuniformly doped channel MOSFET with an arbitrary doping profile 1423

A. ST. DENIS and D. L. PULFREY: An analytical expression for the current in short-base transistors 1431

M. AHMAD, T. GANGULI, S. PATIL, S. MAJOR, Y. G. K. PATRO and B. M. ARORA: Determination of contact resistivity by a modified Cox and Strack method in case of finite metal sheet resistance 1437

ADEL BEN ARAB: Photovoltaic properties and high efficiency of preferentially doped polysilicon solar cells 1441

SHENG-LYANG JANG, K.-Y. CHANG and J.-K. HSU: Evidence of optical generation–recombination noise 1449

XIAO ZHIXIONG, ZHENG JIANG, WEI TONGLI, LI YAO and WANG MINGWANG: Analysis of the high injection effects in silicon bipolar transistors at low temperatures 1455

M. PERSI and G. GILDENBLAT: Computationally efficient version of the Pao–Sah model with variable mobility 1461

M. DEPAS, B. VERMEIRE, P. W. MERTENS, R. L. VAN MEIRHAEGHE and M. M. HEYNS: Determination of tunnelling parameters in ultra-thin oxide layer poly-Si/SiO_2/Si structures 1465

R. LIU, C.-Y. LU, J. J. SUNG, C.-S. PAI and N.-S. TSAI: The effects of rapid thermal processing on ultra-shallow junctions for deep sub-micron MOSFETs 1473

ROLAND SORGE: Double-sweep LF-CV technique for generation rate determination in MOS capacitors 1479

K. A. HENNACY, Y.-J. WU, N. GOLDSMAN and I. D. MAYERGOYZ: Deterministic MOSFET simulation using a generalized spherical harmonic expansion of the Boltzmann equation 1485

JAMES VICTORY, JULIAN SANCHEZ, THOMAS DEMASSA and BRUNO WELFERT: Application of the MOS charge-sheet model to nonuniform doping along the channel 1497

G. A. ARMSTRONG and W. D. FRENCH: A model for the dependence of maximum oscillation frequency on collector to substrate capacitance in bipolar transistors 1505

ROBERTO MENOZZI: Numerical analysis of the extraction of barrier height and Richardson constant of Schottky contacts on AlGaAs/GaAs heterostructures 1511

L. PICHON, F. RAOULT, O. BONNAUD, H. SEHIL and D. BRIAND: Conduction behaviour of low-temperature ($\leqslant 600°C$) polysilicon TFTs with an *in situ* drain doping level 1515

G. BACQUET, F. HASSEN, C. FONTAINE, W. S. HOBSON and S. J. PEARTON: Luminescence polarization and spin-relaxation in GaAs grown on Si and on InP 1523

C. T. LEE, H. P. SHIAO and Y. C. CHOU: MESFET performance and limitations of optimized GaAs strained buffer layer grown on InP by molecular beam epitaxy 1529

I. V. GREKHOV, A. F. SHULEKIN and M. I. VEXLER: Silicon Auger transistor—new insight into the performance of a tunnel MIS emitter transistor 1533

Notes

DIRK FREUND and ARNO KOSTKA: An analytical model of the V_{BE}-dependence of current-splitting in CMOS-compatible lateral bipolar transistors 1543

FRANCIS K. CHAI, S. L. KOSIER, R. D. SCHRIMPF and K. F. GALLOWAY: A method for predicting breakdown voltage of power devices with cylindrical diffused junctions 1547

NUMBER 9

SPECIAL ISSUE

PROCEEDINGS OF THE TOPICAL WORKSHOP ON HETEROSTRUCTURE MICROELECTRONICS

Preface vii

Committees viii

SESSION 1
APPLICATIONS—1

MASAHIRO MURAGUCHI and MASAYOSHI AIKAWA: Microwave components for cellular portable radiotelephone 1551

PAUL GREILING, CONILEE KIRKPATRICK and GARY VALENTINE: Military applications for heterostructure microelectronics technology 1559

K. HONJO: Applications of HBTs 1569

LOI D. NGUYEN, MINH V. LE, TAKYIU LIU, MARK LUI, KAREN KANEKO, ERIC HOLZMAN and MICHAEL J. DELANEY: Millimeter wave InP HEMT technology: performance and applications 1575

SESSION 2
APPLICATIONS—2

SABURO TAKAMIYA, NAOHITO YOSHIDA, NORIO HAYAFUJI, TAKUJI SONODA and SHIGERU MITSUI: Overview of recent development of HEMTs in the mm-wave range 1581

KEIICHI OHATA, MASAHIRO FUNABASHI, TAKASHI INOUE, KEN'ICHI HOSOYA, KAZUHIKO ONDA and MASAAKI KUZUHARA: Millimeter wave heterojunction FET monolithic integrated circuits for compact communication systems 1589

U. KÖNIG and H. DÄMBKES: SiGe HBTs and HFETs 1595

LUTZ J. MICHEEL: Multivalued logic applications of heterostructure devices and circuitry 1603

SESSION 3
DEVICE TECHNOLOGY—1

J. B. SHEALY, W.-N. JIANG, P. A. PARIKH, G. VERZELLIS and U. K. MISHRA: Junction heterostructures for high performance electronics 1607

KANJI YOH, HAYATO TAKEUCHI, HIDEKI HASEGAWA, SATOSHI IZUMIYA and MASATAKA INOUE: Improvements of drain current characteristics of InAs field-effect transistors by the surface reaction of platinum gate 1611

FRITZ SCHUERMEYER, CHARLES CERNY, J. P. LOEHR and R. E. SHERRIFF: Photoelectric emission and conductance studies on fully fabricated PHEMTs 1615

K. MOCHIZUKI, T. NAKAMURA, T. TANOUE and H. MASUDA: AlGaAs/GaAs HBTs with buried SiO_2 in the extrinsic collector..... 1619

SESSION 4
MANUFACTURING

K. A. CHRISTIANSON, C. MOGLESTUE and W. T. ANDERSON: Failure mechanisms in AlGaAs/GaAs HEMTs 1623

Y. ASHIZAWA, C. NOZAKI, T. NODA, A. SASAKI and S. FUJITA: Surface related degradation of InP-based HEMTs during thermal stress 1627

H. T. YAMADA, R. SHIGEMASA, H. I. FUJISHIRO, S. NISHI and T. SAITO: Fabrication of 0.2 μm gate pseudomorphic inverted HEMT by phase-shifting technology 1631

SESSION 5
POWER DEVICES—1

F. REN, C. R. ABERNATHY, S. J. PEARTON, L. W. YANG and S. T. FU: Novel fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors 1635

G. JACKSON, W. STRUBLE, M. ADLERSTEIN, S. SHANFIELD, M. COBB, M. ZAITLIN, E. TONG, R. PUCEL and P. SALEDAS: High gain, pulsed power AlGaAs/GaAs HBTs..... 1641

J. J. LIOU, A. ORTIZ-CONDE, L. L. LIOU and C. I. HUANG: Thermal-avalanche interacting behavior of AlGaAs/GaAs multi-emitter finger heterojunction bipolar transistors 1645

SESSION 6
POWER DEVICES—2

M. KOMARU, J. UDOMOTO, A. INOUE, T. SHIMURA, M. SAKAI, T. KURAGAKI and T. TANINO: Study on d.c. bias mode for common emitter HBT 1649

H. SATO, M. HASEGAWA, M. MIYAUCHI, J. K. TWYNAM, K. SAKUNO, M. AKAGI, K. YAMAMURA and T. MIYAJIMA: Optimization of the HBT and bump configuration for bump heat sink structure and application to HBT power MMICs 1653

J. K. TWYNAM, M. YAGURA, K. KISHIMOTO, T. KINOSADA, H. SATO and M. SHIMIZU: Thermal stabilization of AlGaAs/GaAs power HBTs using n-$Al_xGa_{1-x}As$ emitter ballast resistors with high thermal coefficient of resistance 1657

S. G. INGRAM, E. H. LINFIELD, K. M. BROWN, G. A. C. JONES, D. A. RICHIE and M. J. KELLY: Performance of double heterostructure unipolar transistors in high frequency power applications 1663

SESSION 7
MATERIAL TECHNOLOGY

F. ALEXANDRE, J. L. BENCHIMOL, P. LAUNAY, J. DANGLA and C. DUBON-CHEVALLIER: Modern epitaxial techniques for HBT structures 1667

JUN-ICHI SHIRAKASHI and MAKOTO KONAGAI: InGaP/GaAs and InP/InGaAs heterojunction bipolar transistors with a super heavily carbon-doped base grown by metalorganic molecular beam epitaxy 1675

S. SUZUKI, S. KODAMA and H. HASEGAWA: A novel passivation technology of InGaAs surfaces using Si interface control layer and its application to field effect transistor 1679

S. SHIOBARA, K. SASAKI and H. HASEGAWA: Surface electrical breakdown characteristics of molecular beam epitaxial layers grown at low temperatures 1685

SESSION 8
DEVICE TECHNOLOGY—2

PETER ASBECK: Development of HBT structures to minimize parasitic elements 1691

D. PAVLIDIS, K. HONG, K. HEIN and Y. KWON: Material and device properties of MOCVD grown InAlAs/InGaAs HEMTs 1697

YUTAKA MATSUOKA and EIICHI SANO: InP/InGaAs double-heterostructure bipolar transistors for high-speed ICs and OEICs 1703

K. IMAMURA, M. TAKATSU, T. MORI, S. MUTO and N. YOKOYAMA: Open-base multiemitter HBTs with increased logic functions 1711

SESSION 9
IC TECHNOLOGY

H. SUEHIRO, T. MIYATA, N. HARA and S. KURODA: A 48.1 ps HEMT DCFL NAND circuit with a dual gate structure 1717

P. J. Zampardi, S. M. Beccue, J. Yu, K. Pedrotti, R. L. Pierson, W. J. Ho, M. F. Chang and K. C. Wang: Circuit demonstrations in a GaAs BiFET technology 1723

SESSION 10
DEVICE TECHNOLOGY—3

M. S. Shur, W. C. Peatman, H. Park, W. Grimm and M. Hurt: Novel heterodimensional diodes and transistors 1727

A. Sadek and K. Ismail: Si/SiGe CMOS possibilities 1731

Keyword Index I

Author Index II

NUMBER 10

Review Paper
W. Kruppa and J. B. Boos: Deep-level trapping in ion-implanted InP JFETs 1735

A. Y. Polyakov, A. G. Milnes, Xiaolei Li, A. A. Balmashnov and N. B. Smirnov: Hydrogen and nitrogen plasma treatment effects on surface properties of GaSb and InGaAsSb 1743

Lih-Wen Laih, Jung-Hui Tsai, Wen-Chau Liu, Wei-Chou Hsu and Wen-Shiung Lour: Investigation of an InGaAs–GaAs doped-channel MIS-like pseudomorphic transistor 1747

Y. H. Wu, J. S. Su, W. C. Hsu, W. Lin and W. C. Liu: Electrical characteristics of a lattice-matched $In_{0.53}Al_{0.22}Ga_{0.25}As$/InP heterojunction bipolar transistor with zero potential spike at emitter–base heterojunction 1755

C. S. Ho, J. J. Liou, A. Parthasarathy, S. F. Lin and C. I. Huang: Current transport in AlGaAs/GaAs heterojunction bipolar transistors operating between 300 and 500 K 1759

Chao-Hsing Huang, Tsuen-Lin Lee and Hao-Hsiung Lin: Relation between the collector current and the two-dimensional electron gas stored in the base–collector heterojunction notch of InAlAs/InGaAs/InAlGaAs DHBTs 1765

M. Zamora, J. Gazecki and G. K. Reeves: Interface states capacitance in AuPtTi/*n*GaAs Schottky contacts—a modified Schottky capacitance spectroscopy method 1771

P. Ellrodt, W. Brockerhoff and F. J. Tegude: Investigation of leakage current behaviour of Schottky gates on InAlAs/InGaAs/InP HFET structures by a 1D model 1775

W. Feiler, W. Gerlach and U. Wiese: Two-dimensional analytical models of the carrier distribution in the on-state of the IGBT 1781

S. E. Leang, W. K. Chim and D. S. H. Chan: A new gate current measurement technique for the characterization of hot-carrier induced degradation in MOSFETs 1791

J. A. Martino, E. Simoen and C. Claeys: A new method for determining the front and back interface trap densities of accumulation mode SOI MOSFETs at 77 K 1799

GUO-FU NIU and GANG RUAN: An analytical back gate bias dependent subthreshold swing model for accumulation-mode p-channel SOI MOSFETs 1805

H. Z. FARDI: Effects of electron trapping on diffusion time-of-flight measurement in GaAs 1811

J. NIEHOF, H. C. DE GRAAFF, A. J. MOUTHAAN and J. F. VERWEY: An empirical model for early resistance changes due to electromigration 1817

Z. R. TANG, T. KAMINS and C. A. T. SALAMA: Analytical and experimental characteristics of SiGe heterojunction bipolar transistors with thin α-Si:H emitters 1829

Notes

ZS. J. HORVÁTH: Comment on "Breakdown voltage of high-voltage GaAs Schottky diodes" 1835

XIAO ZHIXIONG and WEI TONGLI: Calculation of the intrinsic carrier concentration and the minority-carrier concentration of silicon for heavy phosphorus doping with non-parabolic energy bands at low temperature 1837

C. C. LARGENT, M. J. GROVE, D. A. HUDSON, P. S. ZORY and D. P. BOUR: Anomalous light emission from semiconductor laser material during pulsed anodization 1839

W. R. ZHANG, W. G. WU, Z. ZENG and J. S. LUO: Effect of Ge composition linear grading in the base on the Early voltage of $Si/Si_{1-x}Ge_x/Si$ HBTs 1842

J. B. KUO, K. W. SU, Y. G. CHEN and S. S. CHEN: Short-channel effect on the threshold voltage of accumulation-type, inversion-type and intrinsic-type SOI PMOS devices 1845

GUO-FU NIU and GANG RUAN: Punchthrough path in double gate SOI MOSFETs..... 1848

A. MALLIK, A. N. CHANDORKAR and J. VASI: Capture cross-section of hole traps in reoxidized nitrided oxide measured by irradiation 1851

M. JAGADESH KUMAR and DAVID J. ROULSTON: New buried P^+-grid polysilicon emitter bipolar power transistor 1854

NUMBER 11

HUNG-SHENG CHEN, CHIH SIEH TENG, JI ZHAO, LARRY MOBERLY and RAJEEVA LAHRI: Analog characteristics of drain engineered submicron MOSFETs for mixed-signal applications 1857

D. W. FELDBAUMER and J. A. BABCOCK: Theory and application of polysilicon resistor trimming 1861

J. W. LEE, S. J. PEARTON, C. R. ABERNATHY, W. S. HOBSON, F. REN and C. S. WU: Investigation of wet etching solutions for $In_{0.5}Ga_{0.5}P$ 1871

H. J. LEE and W. A. ANDERSON: Optical and chemical analysis of the $Ag/In_{0.53}Ga_{0.47}As$ interface formed at low temperature 1875

ROBERT CAVERLY, GERALD HILLER, DAVID RANCOUR, JOSEPH BUKOWSKI and ZHI-WEN TANG: Temperature effects on PIN diode forward bias resistance 1879

B. L. YANG, H. WONG and Y. C. CHENG: Study of shallow bulk traps in thin nitrided oxide films by thermal re-emission of electrons trapped at high field 1887

E. P. VANDAMME, L. K. J. VANDAMME, C. CLAEYS, E. SIMOEN and R. J. SCHREUTELKAMP: Impact of silicidation on the excess noise behaviour of MOS transistors 1893

P. MOUNAIX, J. M. LIBBERECHT and D. LIPPENS: Electron transfer between two coupled quantum wells in a resonant tunneling diode structure 1899

F. HERZEL and B. HEINEMANN: High-frequency noise of bipolar devices in consideration of carrier heating and low temperature effects 1905

R. P. JOSHI and D. K. FERRY: Calculations of the temperature and field dependent electronic mobility in β-SiC 1911

V. SOMMER, J. HEDRICH, K. WEIGEL, O. PERILLIEUX and K. HEIME: Observation and modelling of RTS in InAlAs/InGaAs/InP HFETs 1917

M. DI DIO, A. COLA, M. G. LUPO and L. VASANELLI: Current transport in Ti/GaAs Schottky barriers prepared by ion beam sputtering 1923

T. A. VDOVENKOVA, A. P. VETROV, S. S. KILCHITSKAYA, T. S. KILCHITSKAYA, G. D. POPOVA and V. I. STRIKHA: Annealing effect on the characteristics of MTIS solar cells 1929

BOGDAN MAJKUSIAK and TOMASZ JANIK: Influence of carrier energy quantization on the gate-induced drain breakdown 1933

N. VEISSID, D. BONNET and H. RICHTER: Experimental investigation of the double exponential model of a solar cell under illuminated conditions: considering the instrumental uncertainties in the current, voltage and temperature values 1937

ANA ISABELA ARAÚJO CUNHA, MÁRCIO CHEREM SCHNEIDER and CARLOS GALUP-MONTORO: An explicit physical model for the long-channel MOS transistor including small-signal parameters 1945

CHUNGKUN SONG and KENNETH P. ROENKER: A neuron-like multi-quantum-well injection-mode device for electronic pulse-mode circuits 1953

Notes

A. SADEK, S. E.-D. HABIB and K. ISMAIL: Analytical model of Si/SiGe field-effect transistors 1969

V. ARBET-ENGELS, W. CHANG, E. YABLONOVITCH, G. J. SULLIVAN, M. K. SWED and M. F. CHANG: Flexible, thin-film, GaAs hetero-junction bipolar transistors mounted on natural diamond substrates 1972

K. CHEN, M. CHAN, J.-H. HUANG, P. K. KO and C. HU: Polysilicon gate depletion effect on IC performance 1975

NUMBER 12

Review Paper

CLIFFORD M. KROWNE, KIKI IKOSSI-ANASTASIOU and ELIAS KOUGIANOS: Early voltage in heterojunction bipolar transistors: quantum tunneling and base recombination effects 1979

SANTOS MAYO and HARRY A. SCHAFFT: Electrical characterization of integrated circuit metal line thickness 1993

HUNG-PIN SHIAO, CHI-YU WANG, YUAN-KUANG TU, WEI LIN and CHING-TING LEE: InGaP/GaAs multiquantum barrier structures prepared by low-pressure organometallic vapor phase epitaxy 2001

YORITO OTA, MANABU YANAGIHARA and MORIO NAKAMURA: Failure mode analysis of AlGaAs/GaAs HBTs using electrostatic discharge method 2005

F. REN, D. N. BUCKLEY, K. M. LEE, S. J. PEARTON, R. A. BARTYNSKI, C. CONSTANTINE, W. S. HOBSON, R. A. HAMM and P. C. CHAO: Effect of ECR plasma on the luminescence efficiency of InGaAs and InP 2011

Q. J. HARTMANN, M. T. FRESINA, D. A. AHMARI and G. E. STILLMAN: Effect of collector design on the d.c. characteristics of $In_{0.49}Ga_{0.51}P$/GaAs heterojunction bipolar transistors 2017

N. LUNDBERG and M. ÖSTLING: $CoSi_2$ ohmic contacts to n-type 6H–SiC 2023

HSIAO-YI LIN, TAN FU LEI, HORNG-CHIH LIN, CHUN-YEN CHANG, RUEY-CHING TWU, RAY-CHERN DENG and JANDEL LIN: Characteristics of polycrystalline films grown by ultrahigh vacuum chemical vapor deposition system 2029

S. CHITTIPEDDI, V. C. KANNAN and B. RAMBABU: Integrity of shallow junction CMOS structures with Ti/TiN/Al–Si–Cu and Ti/TiN/Al–Cu contact metallization 2035

H. R. ZELLER: Cosmic ray induced failures in high power semiconductor devices 2041

R. J. SHUL, C. T. SULLIVAN, M. B. SNIPES, G. B. MCCLELLAN, M. HAFICH, C. T. FULLER, C. CONSTANTINE, J. W. LEE and S. J. PEARTON: Attenuation losses in electron cyclotron resonance plasma etched AlGaAs waveguides 2047

Y. G. CHEN, J. B. KUO, Z. YU and R. W. DUTTON: An analytical drain current model for short-channel fully-depleted ultrathin silicon-on-insulator NMOS devices 2051

H. NORDE: Ionized dopant concentrations in silicon—an analytical approach 2059

RANBIR SINGH and B. J. BALIGA: Cryogenic operation of asymmetric field controlled thyristors 2063

L. JUNG, J. DAMIANO JR, J. R. ZAMAN, S. BATRA, M. MANNING and S. K. BANERJEE: A leakage current model for sub-micron lightly-doped drain-offset polysilicon TFTs 2069

P. MIGLIORATO, C. REITA, G. TALLARIDA, M. QUINN and G. FORTUNATO: Anomalous off-current mechanisms in N-channel poly-Si thin film transistors 2075

ARTURO MORALES-ACEVEDO: Analysis of buried contact solar cells and some rules for their optimum design 2081

S. C. CHOO: Theory of surface photovoltage in a semiconductor with a Schottky contact 2085

S. P. WILSON, S. BRAND and R. A. ABRAM: Avalanche multiplication properties of GaAs calculated from spatially transient ionisation coefficients 2095